



Residential Fence Tubing

RESIDENTIAL FENCE TUBING

Size O.D.	Item#	Gauge	Approximate Weight Per Foot	Pieces Per Lift	Cut	Price Per Foot Less Lift	Lift
1 3/8" PE	20100-	18	.67	91	•		
1 3/8" Swedge	20200-	18	.67	91	•		
1 5/8"	20300-	18	.85	61	1.79		
1 7/8"	20400-	18	.97	61	2.08		
2 3/8"	20500-	18	1.22	37	2.61		
1 3/8" Swedge	24600-	20	.48	91	•		

SUFFIXES FOR LENGTHS: 21 FOOT (-252) 24 FOOT (-288)

RESIDENTIAL GALVANIZED TUBING POSTS

Size	Item#	Pieces Per Lift	Weight Per Lift	Less Lift	Lift
1 3/8" x 10 1/2' Swedge	(17 ga.) 21100-126 .74 lb/ft	91	640		
1 5/8" x 5'	20300-060	61	288		
x 5 1/2'	20300-066	61	316		
x 6'	20300-072	61	345		
x 6 1/2'	20300-078	61	374		
x 7'	20300-084	61	403		
x 7 1/2'	20300-090	61	431		
x 8'	20300-096	61	460		
1 7/8" x 5'	20400-060	61	325		
x 5 1/2'	20400-066	61	357		
x 6'	20400-072	61	390		
x 6 1/2'	20400-078	61	422		
x 7'	20400-084	61	455		
x 7 1/2'	20400-090	61	487		
x 8'	20400-096	61	520		
2 3/8" x 5'	20500-060	37	248		
x 5 1/2'	20500-066	37	273		
x 6'	20500-072	37	298		
x 6 1/2'	20500-078	37	323		
x 7'	20500-084	37	347		
x 7 1/2'	20500-090	37	372		
x 8'	20500-096	37	397		

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500
---	--	--	---	--



16 Gauge Fence Tubing

16 GA. FENCE TUBING

Size O.D.	Item#	Gauge	Approximate Weight Per Foot	Pieces Per Lift	Cut	Price Per Foot Less Lift	Lift
1 3/8" PE	22100-	16	.87	91			
1 3/8" Swedge	22200-	16	.87	91			
1 5/8" PE	22300-	16	1.11	61	2.11		
1 5/8" Swedge	22400-	16	1.11	61			
1 7/8"	22500-	16	1.27	61	2.42		
2 3/8"	22600-	16	1.60	37	3.05		

SUFFIXES FOR LENGTHS: 21 FOOT (-252) 24 FOOT (-288)

16 GA. GALVANIZED TUBING POSTS

Size	Item#	Pieces Per Lift	Weight Per Lift	Less Lift	Lift
1 3/8" x10 1/2'	22100-126	91	831		
1 5/8"	x5'	22300-060	61	338	
	x5 1/2'	22300-066	61	372	
	x6'	22300-072	61	406	
	x6 1/2'	22300-078	61	440	
	x7'	22300-084	61	473	
	x7 1/2'	22300-090	61	507	
	x8'	22300-096	61	541	
1 7/8"	x5'	22500-060	61	388	
	x5 1/2'	22500-066	61	427	
	x6'	22500-072	61	466	
	x6 1/2'	22500-078	61	504	
	x7'	22500-084	61	544	
	x7 1/2'	22500-090	61	582	
	x8'	22500-096	61	621	
2 3/8"	x5'	22600-060	37	296	
	x5 1/2'	22600-066	37	326	
	x6'	22600-072	37	356	
	x6 1/2'	22600-078	37	385	
	x7'	22600-084	37	415	
	x7 1/2'	22600-090	37	444	
	x8'	22600-096	37	474	

BFC 20 FENCE PIPE

Size O.D.	Item#	Weight Per Foot	Pieces Per Lift	Cut	Price Per Foot	
					Less Lift	Lift
1 3/8"	23100-	1.06	91	2.26		
1 5/8"	23200-	1.43	61	2.83		
1 7/8"	23300-	1.74	61	3.55		
2 3/8"	23400-	2.32	37	4.72		
2 7/8"	23500-	3.25	30	6.78		

SUFFIXES FOR LENGTHS: 18 FOOT (-216) 21 FOOT (-252) 24 FOOT (-288)

BFC 20 FENCE POSTS

Size	Item#	Less Lift	Lift	Size	Item#	Less Lift	Lift
1 5/8" x5'	23200-060	14.16	12.31	2 3/8" x 5'	23400-060		
x5 1/2'	23200-066	15.57	13.54	x5 1/2'	23400-066		
x6'	23200-072	16.99	14.77	x6'	23400-072		
x6 1/2'	23200-078	18.40	16.00	x6 1/2'	23400-078		
x7'	23200-084	19.81	17.23	x7'	23400-084		
x7 1/2'	23200-090	21.24	18.47	x7 1/2'	23400-090		
x8'	23200-096	22.66	19.70	x8'	23400-096		
x9'	23200-108	25.48	22.16	x9'	23400-108		
x10'	23200-120	28.31	24.62	x10'	23400-120		
1 7/8" x5'	23300-060	17.77	15.45	2 7/8" x5'	23500-060		
x5 1/2'	23300-066	19.55	17.00	x5 1/2'	23500-066		
x6'	23300-072	21.32	18.54	x6'	23500-072		
x6 1/2'	23300-078	23.10	20.09	x6 1/2'	23500-078		
x7'	23300-084	24.87	21.63	x7'	23500-084		
x7 1/2'	23300-090	26.66	23.18	x7 1/2'	23500-090		
x8'	23300-096	28.43	24.72	x8'	23500-096		
x9'	23300-108	31.98	27.81	x9'	23500-108		
x10'	23300-120	35.54	30.90	x10'	23500-120		

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500
---	--	--	---	--

BFC 40 FENCE PIPE

Size O.D.	Item#	Weight Per Foot	Pieces Per Lift	Cut	Price Per Foot Less Lift	Lift
1 3/8"	24100-	1.35	91	3.43		
1 5/8"	24200-	1.84	61	3.79		
1 7/8"	24300-	2.28	61	4.45		
2 3/8"	24400-	3.12	37	6.07		
2 7/8"	24500-	4.64	30	9.17		
3 1/2"	24700-	5.71	19	14.33		
4"	24760-	6.54	19	14.78		

SUFFIXES FOR LENGTHS: 18 FOOT (-216) 21 FOOT (-252) 24 FOOT (-288)

BFC 40 FENCE POSTS

Size	Item#	Less Lift	Lift	Size	Item#	Less Lift	Lift
1 5/8"	x5'	24200-060		2 7/8"	x5'	24500-060	
	x5 1/2'	24200-066			x5 1/2'	24500-066	
	x6'	24200-072			x6'	24500-072	
	x6 1/2'	24200-078			x6 1/2'	24500-078	
	x7'	24200-084			x7'	24500-084	
	x7 1/2'	24200-090			x7 1/2'	24500-090	
	x8'	24200-096			x8'	24500-096	
	x9'	24200-108			x9'	24500-108	
	x10'	24200-120			x10'	24500-120	
1 7/8"	x5'	24300-060		3 1/2"	x5'	24700-060	
	x5 1/2'	24300-066			x5 1/2'	24700-066	
	x6'	24300-072			x6'	24700-072	
	x6 1/2'	24300-078			x6 1/2'	24700-078	
	x7'	24300-084			x7'	24700-084	
	x7 1/2'	24300-090			x7 1/2'	24700-090	
	x8'	24300-096			x8'	24700-096	
	x8'8"	24350-104			x9'	24700-108	
	x9'	24300-108			x10'	24700-120	
x10'	24300-120						
2 3/8"	x5'	24400-060		4"	x6'	24760-072	
	x5 1/2'	24400-066			x7'	24760-084	
	x6'	24400-072			x8'	24760-096	
	x6 1/2'	24400-078			x9'	24760-108	
	x7'	24400-084			x10'	24760-120	
	x7 1/2'	24400-090			x11'	24760-132	
	x8'	24400-096			x12'	24760-144	
	x8'8"	24450-104			x13'	24760-156	
	x9'	24400-108			x14'	24760-168	
	x10'	24400-120			x15'	24760-180	

**STUDED TEE POST - WITH ANCHOR PLATE
LIGHT WEIGHT, PAINTED**

Size O.D.	Item#	Weight Per Post	Pieces Per Lift	Less Lift	Lift
5'	25010	4.90 lbs	200		
5 1/2'	25015	5.39 lbs	200		
6'	25020	5.88 lbs	200		
6 1/2'	25025	6.37 lbs	200		
7'	25030	6.86 lbs	200		
8'	25040	7.84 lbs	200		

**STUDED TEE POST - WITH ANCHOR PLATE
MEDIUM WEIGHT 1.25 LBS PER FOOT, PAINTED**

5'	25110-125	7.13 lbs	200
5 1/2'	25115-125	7.80 lbs	200
6'	25120-125	8.64 lbs	200
6 1/2'	25125-125	9.13 lbs	200
7'	25130-125	9.79 lbs	200
8'	25140-125	11.12 lbs	200

**STUDED TEE POST - WITH ANCHOR PLATE
HEAVY WEIGHT 1.33 LBS PER FOOT, PAINTED**

5'	25110-133	7.32 lbs	200
5 1/2'	25115-133	7.99 lbs	200
6'	25120-133	8.65 lbs	200
6 1/2'	25125-133	9.32 lbs	200
7'	25130-133	9.98 lbs	200
8'	25140-133	11.31 lbs	200
10'	25151-133	13.78 lbs	200

MEETS ASTM A702 & CALTRANS

**HOT DIPPED GALVANIZED TEE POSTS
1.33 LBS PER FOOT, GALVANIZED**

7'	25131	10.5 lbs	200
			Box Qty.
T-Post Clips	16707		1,000

MEETS ASTM A702 & CALTRANS



Roll Formed "C" Sections

ROLL FORMED "C" SECTION FENCE FRAMEWORK

Description	Item#	Wall	Weight Per Lift	Pieces Per Lift	Unit Price Less Lift	Lift
-------------	-------	------	-----------------	-----------------	----------------------	------

STANDARD "C" for WOOD FENCING
1.875" x 1.625"
2 oz zinc on each side

6' 8"	Post	25175-080	.121"	2.28 lbs	50	
7' 8"	Post	25175-092	.121"	2.28 lbs	50	

STANDARD "C"
1.875" x 1.625"
2 oz zinc on each side

26'	Length	25172-312	.121"	2.28 lbs	50	
9' 8"	Post	25170-116	.121"	2.28 lbs	50	
10' 8"	Post	25171-128	.121"	2.28 lbs	50	

HEAVY "C"
2.25" x 1.70"
2 oz zinc on each side

26'	Length	25184-312	.121"	2.64 lbs	50	
9' 8"	Post	25182-116	.121"	2.64 lbs	50	
10' 8"	Post	25183-128	.121"	2.64 lbs	50	

"C" - RAIL
1.625" x 1.250"
2 oz zinc on each side

20'	Length	25185-240	.080"	1.35 lbs	50	
-----	--------	-----------	-------	----------	----	--

CALTRANS "C" LINE POST
1.875" x 1.625"
1 oz zinc on each side

(Includes "J" notch - no loop cap needed if top tension wire is used)

8' 8"	Post	25188-104	.105"	1.85 lbs	50	
-------	------	-----------	-------	----------	----	--

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500
---	--	--	---	--



*Imported Tubing
Imported Structural Pipe*

HOT DIP GALVANIZED FENCE TUBING .065 WALL

Size O.D.	Item#	Wall	Weight Per Foot	Pieces Per Lift	Cut	Price Per Foot Less Lift	Lift
1 3/8"	17150-	.065	.87	91	1.55		
1 5/8"	17350-	.065	1.11	61	1.98		
1 7/8"	17450-	.065	1.28	61	2.28		
2 3/8"	17550-	.065	1.61	37	2.87		

STRUCTURAL PIPE — LIGHT WALL

1 5/8"	18200-	.104	1.73	61	2.70		
1 7/8"	18300-	.116	2.20	61	3.43		
2 3/8"	18400-	.116	2.78	37	4.34		
2 7/8"	18500-	.128	3.90	19	6.09		

SUFFIXES FOR LENGTHS: 18 FOOT (-216) 21 FOOT (-252) 24 FOOT (-288)

STRUCTURAL POSTS

Size	Item#	Less Lift	Lift	Size	Item#	Less Lift	Lift
1 5/8" x5'	18200-060			2 3/8" x5'	18400-060		
x5 1/2'	18200-066			x5 1/2'	18400-066		
x6'	18200-072			x6'	18400-072		
x6 1/2'	18200-078			x6 1/2'	18400-078		
x7'	18200-084			x7'	18400-084		
x7 1/2'	18200-090			x7 1/2'	18400-090		
x8'	18200-096			x8'	18400-096		
x9'	18200-108			x9'	18400-108		
x10'	18200-120			x10'	18400-120		
1 7/8" x5'	18300-060			2 7/8" x5'	18500-060		
x5 1/2'	18300-066			x5 1/2'	18500-066		
x6'	18300-072			x6'	18500-072		
x6 1/2'	18300-078			x6 1/2'	18500-078		
x7'	18300-084			x7'	18500-084		
x7 1/2'	18300-090			x7 1/2'	18500-090		
x8'	18300-096			x8'	18500-096		
x9'	18300-108			x9'	18500-108		
x10'	18300-120			x10'	18500-120		

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500
---	--	--	---	--



Imported Standard Weight Schedule 40

STANDARD WEIGHT PIPE — SCHEDULE 40

Size O.D.	Item#	Weight Per Foot	Nominal		Pieces Per Lift	Cut	Price Per Foot	
			Wall Thickness				Less Lift	Lift
1 5/8"	19100-	2.27	.140		42	3.80		
1 7/8"	19200-	2.72	.145		36	4.33		
2 3/8"	19300-	3.65	.154		26	6.10		
2 7/8"	19400-	5.79	.203		18	9.68		
3 1/2"	19500-	7.58	.216		14	12.61		
4"	19600-	9.11	.226		12	15.16		
4 1/2"	19700-	10.79	.237		10	17.96		
5 9/16"	19725-	14.62	.258		7	24.34		
6 5/8"	19800-	18.97	.280		7	31.58		
8 5/8"	19900-	28.55	.322		3	47.53		

SUFFIXES FOR LENGTHS: 18 FOOT (-216) 21 FOOT (-252) 24 FOOT (-288)

STANDARD WEIGHT POST

Size	Item#	Less Lift	Lift	Size	Item#	Less Lift	Lift
1 5/8"	x5'	19100-060		2 7/8"	x7'	19400-084	
	x5 1/2'	19100-066			x7 1/2'	19400-090	
	x6'	19100-072			x8'	19400-096	
	x6 1/2'	19100-078			x9'	19400-108	
	x7'	19100-084			x10'	19400-120	
	x7 1/2'	19100-090			x11'	19400-132	
	x8'	19100-096			x12'	19400-144	
	x9'	19100-108			x13'	19400-156	
	x10'	19100-120			x14'	19400-168	
1 7/8"	x5'	19200-060		3 1/2"	x7'	19500-084	
	x5 1/2'	19200-066			x7 1/2'	19500-090	
	x6'	19200-072			x8'	19500-096	
	x6 1/2'	19200-078			x9'	19500-108	
	x7'	19200-084			x10'	19500-120	
	x7 1/2'	19200-090			x11'	19500-132	
	x8'	19200-096			x12'	19500-144	
	x9'	19200-108			x13'	19500-156	
	x10'	19200-120			x14'	19500-168	
2 3/8"	x5'	19300-060		4"	x7'	19600-084	
	x5 1/2'	19300-066			x8'	19600-096	
	x6'	19300-072			x9'	19600-108	
	x6 1/2'	19300-078			x10'	19600-120	
	x7'	19300-084			x11'	19600-132	
	x7 1/2'	19300-090			x12'	19600-144	
	x8'	19300-096			x13'	19600-156	
	x8 1/2'	19300-102			x14'	19600-168	
	x9'	19300-108			x15'	19600-180	
	x 10'	19300-120					
	x 10 1/2'	19300-126					