

**CALL FOR QUOTATION — FOR NON-STOCK ITEMS, BFC 20, BFC 40, STRUCTURAL, OR STANDARD WEIGHT COATED PRICES**

### TENSION BANDS 14 GA. x 3/4" Galvanized

Size	Item#	Sack Qty.	Weight Each Lbs.	Less Sack Price Each	Sack Price Each
1 3/8"	10101-	250	.13		
1 5/8"	10102-	250	.15		
1 7/8"	10103-	250	.16		
2 3/8"	10104-	250	.18		
2 7/8"	10105-	125	.25		
3 1/2"	10106-	100	.26		
4"	10107-	100	.29		

### BRACE BANDS — 12 GA. x 3/4"

1 5/8"	10202-	250	.16
1 7/8"	10203-	250	.18
2 3/8"	10204-	250	.22
2 7/8"	10205-	125	.26
3 1/2"	10207-	100	.31
4"	10208-	100	.36

### TENSION BARS — 3/16" x 5/8"

3'	10301-	25	1.30
3 1/2'	10302-	25	1.50
4'	10303-	25	1.80
5'	10304-	25	2.30
6'	10305-	25	2.70
7'	10306-	25	3.20
8'	10307-	25	3.70

### TENSION BARS — 3/16" x 3/4"

10'	10328-	25	4.50
12'	10329-	25	5.40

### TRUSS ROD — Threaded with Nuts

3/8" x 10 1/2'	15701-	25	4.20
3/8" x 12'	15702-	25	4.60

### TRUSS TIGHTENER

Size	Item#	Sack Qty.	Weight Each Lbs.	Less Sack Price Each	Sack Price Each
Heavy	15801-	50	.26		
Residential	15802-	50	.72		

### CAPS — Die Cast, Aluminum

1 3/8"	10701-	250	.06
1 5/8"	10702-	250	.08
1 7/8"	10703-	250	.10
2 3/8"	10704-	250	.14
2 7/8"	10705-	125	.18

### CAPS — Pressed Steel

1 3/8"	11101-	250	.12
1 5/8"	11102-	250	.16
1 7/8"	11103-	250	.27
2 3/8"	11104-	250	.34
2 7/8"	11105-	125	.53
4"	11107-	25	1.00

### EYE TOPS — Die Cast, Aluminum

1 5/8" x 1 3/8"	11601-	250	.17
1 7/8" x 1 3/8"	11602-	125	.18
1 7/8" x 1 5/8"	11603-	125	.20

### EYE TOPS — Pressed Steel, Residential

1 5/8" x 1 3/8"	11751-	250	.20
1 7/8" x 1 3/8"	11752-	125	.23
1 7/8" x 1 5/8"	11749-	125	.30

### EYE TOPS — Pressed Steel, Commercial

1 7/8" x 1 5/8"	11753-	50	.54
2 3/8" x 1 5/8"	11754-	50	.62
2 7/8" x 1 5/8"	11756-	50	1.10

### ONE PIECE BARB ARM - Pressed Steel 45°

#### IMPORTED

1 7/8" x 1 5/8"	12101-	25	1.70
2 3/8" x 1 5/8"	12102-	25	1.90

For DOMESTIC, add .50

For polyester coated items, use color suffixes after each galvanized item number  
( B ) - Black; ( G ) - Green; ( BR ) - Brown

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500
---	--	--	---	--

**CALL FOR QUOTATION — FOR NON-STOCK ITEMS, BFC 20, BFC 40, STRUCTURAL, OR STANDARD WEIGHT COATED PRICES**

### RAIL ENDS — Die Cast, Aluminum

Size	Item#	Sack Qty.	Weight Each Lbs.	Less Sack Price Each	Sack Price Each
1 3/8"	11201-	250	.13		
1 5/8"	11202-	150	.19		

### RAIL ENDS — Pressed Steel

1 5/8" one-hole	11411-	100	.40
1 5/8" two-hole	11412-	100	.48

### SLEEVES

1 3/8" x 6"	11501-	100	.37
1 5/8" x 6"	11502-	100	.62

### GATE FRAME HINGE — Without Bolts

1 3/8" x 5/8"	12522-	100	.41
1 5/8" x 5/8"	12524-	50	.62
1 7/8" x 5/8"	12525-	50	.66

### POST HINGES — Without Bolts

1 7/8" x 5/8"	12626-	50	.82
2 3/8" x 5/8"	12628-	50	.92
2 7/8" x 5/8"	12829-	50	1.20

### 180° HINGE — Pressed Steel (Fits 1 5/8" or 1 7/8" Frame)

2 3/8"	14101-	10	3.30
2 7/8"	14102-	10	3.40
4"	14104-	10	4.20
6 5/8"	14106-	10	6.00

### CARRIAGE BOLTS, BLACK COATED - w/Nuts

	Box Qty.		
5/16" x 1 1/4"	10501-B	100	.03
3/8" x 2 1/4"	10512-B	100	.05
3/8" x 3"	10508-B	100	.07
3/8" x 3 1/2"	10509-B	100	.08

### FORK LATCH — Pressed Steel

Size	Item#	Sack Qty.	Weight Each Lbs.	Less Sack Price Each	Sack Price Each
1 3/8" x 1 7/8"	13002-	25	1.20		
1 3/8" x 2 3/8"	13003-	25	1.30		
1 5/8" x 2 3/8"	13006-	25	1.30		
1 5/8" x 2 7/8"	13007-	25	1.30		

### BUTTERFLY LATCH - Clamps to Gate Frame

1 3/8" x 1 7/8"	13301-	25	1.10
1 3/8" x 2 3/8"	13302-	25	1.20

### LATCH ASSEMBLY — Residential Double Drive (1 3/8" Frame)

1 3/8" x 36"	13701-	10	3.20
1 3/8" x 48"	13702-	10	3.60

### LATCH ASSEMBLY — Industrial Double Gate (Inc.; Fork, 3 guides, bolts, 1 3/8" drop rod up to 7 - 9 foot length)

1 5/8"	14201-	5	5.40
1 7/8"	14202-	5	5.60

### CORNER GATE ELLS — Die Cast, Aluminum

1 3/8"	16750-	100	.48
--------	--------	-----	-----

### CORNER GATE ELLS — Pressed Steel

1 5/8"	16760-	50	2.50
1 7/8"	16761-	25	2.60

### GATE BRACE CLAMPS — Without Bolts

1 3/8" x 1 3/8"	16790-	100	.32
1 5/8" x 1 5/8"	16791-	100	.50

For polyester coated items, use color suffixes after each galvanized item number  
( B ) - Black; ( G ) - Green; ( BR ) - Brown



# Polyester Coated Vinyl Wire, Ties & Hog Rings

## VINYL COATED TENSION WIRE — 9 GA. Finish

Color	Item#	Feet Per Roll	Roll Wt. Pounds	Price per Foot	Item#	Price per Pound
Green	15434-30	2,350'	100		15439-30	
Black	15434-70	2,350'	100		15439-70	
Brown	15434-10	2,350'	100		15439-10	
				<b>PRICE PER FOOT</b>	<b>PRICE PER POUND</b>	

## 7 GAUGE VINYL COATED COIL SPRING

Green	15440-30	800'	80
Black	15440-70	800'	80
Brown	15440-10	800'	80
			<b>PRICE PER POUND</b>

Sold in full rolls only

## 4 POINT VINYL COATED BARBED WIRE

Color	Item#	Feet per Roll	Price per Roll
Green	15481	1,320	
Black	15482	1,320	
Brown	15480	1,320	

## VINYL FENCE TIES — 9 GA. Finish, Cut and Hooked

Size	Item#	Price Bag	Price Case
6 1/2"	15310-G	15311-B	15312-BR
7 1/2"	15314-G	15315-B	15316-BR
8 1/2"	15318-G	15319-B	15320-BR
9 1/2"	15323-G	15324-B	15325-BR

G (Green) B (Black) BR (Brown) **Bag Quantity 100** **Case Quantity 1,000**

## VINYL FENCE TIES — 11 GA. Core Wire, 8 GA. Finish, Cut and Hooked

6 1/2"	15336-	G (Green)	B (Black)	BR (Brown)
7 1/2"	15330-	G (Green)	B (Black)	BR (Brown)
8 1/2"	15335-	G (Green)	B (Black)	BR (Brown)
9 1/2"	15331-	G (Green)	B (Black)	BR (Brown)

**Bag Quantity 100** **Case Quantity 1,000**

## VINYL HOG RINGS — 9 GA. Finish

Size/Color	Item#	Box Quantity	Box Weight	PRICE / LB. Pound	Box
9 GA. Green	15304-G	approx. 3,800	25 lbs.		
9 GA. Black	15305-B	approx. 3,800	25 lbs.		
9 GA. Brown	15306-BR	approx. 3,800	25 lbs.		

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500
---	--	--	---	--

### 16 GAUGE FENCE TUBING

Size O.D.	Item#	Wt./Ft.	PCS/Lift	Cut	Prices are per foot	
					Less Lift	Lift
1 3/8" PE	22100-	.87	91			
1 3/8" Swedge	22200-	.87	91			
1 5/8" PE	22300-	1.11	61	3.09		
1 5/8" Swedge	22400-	1.11	61	3.13		
1 7/8"	22500-	1.27	61	3.49		
2 3/8"	22600-	1.60	37	4.19		

**CALL FOR QUOTATION — FOR BFC 20, BFC 40,  
STRUCTURAL, OR STANDARD WEIGHT COATED PRICES**

### GALVANIZED 16 GA. TUBING POST

Size	Item#	Price Each
1 5/8"	x 5'	22300-060
	x 5 1/2'	22300-066
	x 6'	22300-072
	x 6 1/2'	22300-078
	x 7'	22300-084
	x 7 1/2'	22300-090
	x 8'	22300-096
1 7/8"	x 5'	22500-060
	x 5 1/2'	22500-066
	x 6'	22500-072
	x 6 1/2'	22500-078
	x 7'	22500-084
	x 7 1/2'	22500-090
	x 8'	22500-096
2 3/8"	x 5'	22600-060
	x 5 1/2'	22600-066
	x 6'	22600-072
	x 6 1/2'	22600-078
	x 7'	22600-084
	x 7 1/2'	22600-090
	x 8'	22600-096

Weights are based on galvanized product only

After suffixes for length use color code ( B ) Black, ( G ) Green, ( BR ) Brown  
Example: 1 7/8" x 7' 16 GA. Black polyester — Item# 22500-084B



## Extruded Vinyl Fabric

- Colors: Black ( 10 ), Green ( 15 ), Brown ( 20 )
- Standard Packaging: 50' rolls    • Standard Selvage: K&K

### RESIDENTIAL 9 GAUGE FINISH

9 GA Finish Extruded Fabric — 2" Mesh			Price per Hundred Linear Feet	
Height	Item#	Weight	LESS than 1,000 ft	MORE than 1,000 ft
36"	41303-	132		
42"	41335-	154		
48"	41304-	176		
60"	41305-	220		
72"	41306-	264		
84"	41307-	308		
96"	41308-	352		
120"	41310-	440		
144"	41312-	528		
<b>9 GA, TENNIS COURT — 1 3/4" Mesh</b>				
120"	41325-	503		
144"	41330-	604		
<b>9 GA, RESIDENTIAL — 1 1/4" Mesh-Extruded</b>				
60"	42104-	630		
72"	42105-	662		

### COMMERCIAL 8 GAUGE FINISH Per ASTM F 668, Class 2a

11 GA Core, 8 GA Finish Extruded Fabric — 2" Mesh			Price per Hundred Linear Feet	
Height	Item#	Weight	LESS than 1,000 ft	MORE than 1,000 ft
36"	41513-	165		
42"	41503-	193		
48"	41504-	220		
60"	41505-	275		
72"	41506-	330		
84"	41507-	385		
96"	41508-	440		
120"	41510-	550		
144"	41512-	660		
<b>8 GA, TENNIS COURT — 1 3/4" Mesh</b>				
120"	41479-	680		
144"	41480-	816		

- Also available: 9 GA. core, 6 GA. finish, extruded
- For other colors, special sizes, meshes or application — call your salesperson.

8530 UNSWORTH AVE. SACRAMENTO, CA 95828-1009 1-916-381-4065	13111 DAHLIA ST. FONTANA, CA 92337-6902 1-909-350-9040	8937 SAN FERNANDO RD. SUN VALLEY, CA 91352-1410 1-818-504-3700	1265 N. CUYAMACA ST. EL CAJON, CA 92020-1549 1-619-449-0333	10010 PORTLAND AVE. TACOMA, WA 98445-3956 1-253-535-5500
---	--	--	---	--

### 11 GA CORE, 10 GA FINISH, 2" MESH BONDED PER ASTM F 668, Class 2b

11 GA Core, 10 GA Finish — 2" Mesh			
Height	Item#	Weight / 100'	Price
36"	44200-	165	
42"	44201-	193	
48"	44202-	220	
60"	44203-	275	
72"	44204-	330	
84"	44205-	385	
96"	44206-	440	
120"	44208-	550	
144"	44209-	660	

### 9 GA CORE, 8 GA FINISH, 2" MESH BONDED PER ASTM F 668, Class 2b

9 GA Core, 8 GA Finish — 2" Mesh			
Height	Item#	Weight / 100'	Price
36"	44215-	243	
42"	44216-	284	
48"	44217-	324	
60"	44218-	405	
72"	44219-	486	
84"	44220-	567	
96"	44221-	648	
120"	44222-	810	
144"	44223-	972	

- Standard packaging: 2" mesh, 50' rolls, plastic wrapped
- Standard selvage: K & K
  - Colors (with suffix codes): Black (10) Green (15) Brown (20)
- For special sizes, meshes or applications — call your salesperson

The following Bonded and Extruded products are available on special order.

## BONDED

11 gauge core wire, 10 gauge finish  
 9 gauge core wire, 8 gauge finish  
 6 gauge core wire, 5 gauge finish


## EXTRUDED

11 gauge core wire, 8 gauge finish  
 9 gauge core wire, 6 gauge finish

Can be ordered to meet these latest specifications:  
 Federal RRF 191/1 Type IV  
 AASHTO: M 181  
 ASTM: F 668

## REQUIREMENTS OF ASTM: F 668 ADHESION TESTS OF SECTION 16. EXTRUDED

### Class 2a




**Adhesion test: Class 2a, paragraph 16.2.2 —**  
 “Three specimens from each lot shall be tested. Measure a distance of 3/4” (19mm) from the end of the specimen. With a regular hand grip wire stripper, exert maximum hand pull parallel to the axis of the wire. Attempt to remove the measured portion of the vinyl sleeve from the core wire. The lot shall be acceptable if the vinyl sleeve is not capable of being removed from the core wire on all three samples.”

## BONDED PRODUCT LINE

Product Description	Steel Wire Core Dia.	Min. Zinc Coating	Min. Vinyl Thickness	Min. Break Strength	Finish Size
6 Gauge	.192	.4 oz/ft <sup>2</sup>	.006"	2,170 lbs	5 Gauge
9 Gauge	.148	.3 oz/ft <sup>2</sup>	.006"	1,290 lbs	8 Gauge
11 Gauge	.120	.3 oz/ft <sup>2</sup>	.006"	850 lbs	10 Gauge

## ADHESION TEST OF SECTION 16. BONDED

### ADHESION TEST Class 2b



**Adhesion test: Class 2b, paragraph 16.2.3 —**  
 “Three specimens from each lot shall be tested. Make two cuts parallel to the axis of the wire through the coating, approximately 1/16” (1.6 mm) apart, at least 1/2” (12.7 mm) long. With a knife, peel back a section of the coating between 1/8” (3.2 mm) and 1/4” (6.4 mm) long to produce a tab. Attempt to remove the 1/16” (1.6 mm) strip of coating by pulling the tab. The lot shall be acceptable if the coating breaks rather than separates from the core wire on all three specimens.”

## EXTRUDED PRODUCT LINE

Product Description	Steel Wire Core Dia.	Min. Zinc Coating	Min. Vinyl Thickness	Min. Break Strength	Finish Size
9 Gauge	.148	.3 oz/ft <sup>2</sup>	.015"	1,290 lbs	6 Gauge
11 Gauge	.120	.3 oz/ft <sup>2</sup>	.015"	850 lbs	8 Gauge

- Send BFC your specification for our product specialists to quote you the product required.
- If you have additional questions concerning these products, call your BFC salesperson.